

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of December 31, 2003
Gloucester County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	#	#	#	#	56	21
AIDS-CD4 Only	83	31	0	0	83	31
HIV Only	#	#	#	#	131	49
-----	----	---	----	---	----	---
Total	267	100	#	#	270	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	---	----	---	----	---
<5	0	0	White, Not Hispanic	#	#	#	#	149	55
5-12	#	#	Black, Not Hispanic	#	#	#	#	87	32
13-19	#	#	Hispanic	27	10	0	0	27	10
20-29	13	5	Other/Unknown	7	3	0	0	7	3
30-39	69	26	-----	----	---	----	---	----	---
40-49	121	45	Total	267	100	#	#	270	100
50+	62	23							
Unk.	0	0							
-----	----	---							
Total	270	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Men sex with men (MSM)	97	49	0	0	97	37
Injection drug user (IDU)	33	17	11	16	44	17
MSM/IDU	9	5	0	0	9	3
Heterosexual contact	12	6	36	52	48	18
Risk not reported/other***	45	23	22	32	67	25
-----	----	---	----	---	----	---
Total	196	100	69	100	265	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	----	---	----	---	----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2003.

** 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2003
Gloucester County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	0	(0)	98	(29)
Other OI w/o PCP	#	(#)	#	(#)	0	(0)	106	(31)
KS Alone	11	(3)	8	(73)	0	(.)	11	(3)
No Disease Listed	122	(36)	39	(35)	0	(.)	122	(36)
Total	335	(100)	198	(63)	0	(0)	337	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*	Pediatric*	Total	%
				Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	215	64
5-12	0	0	Black, Not Hispanic	#	#	92	27
13-19	#	#	Hispanic	27	8	27	8
20-29	54	16	Other/Unknown	#	#	#	#
30-39	140	42					
40-49	91	27	Total	335	100	337	100
Over 49	48	14					
Unknown	0	0					
Total	337	100					

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	154	54	0	0	154	46
Injection drug user (IDU)	45	16	13	26	58	17
MSM/IDU	21	7	0	0	21	6
Heterosexual contact	15	5	25	50	40	12
Risk not reported/other***	49	17	12	24	61	18
Total	284	100	50	100	334	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2003
Gloucester County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	12	12	100%
1987	15	15	100%
1988	13	11	85%
1989	22	21	95%
1990	17	17	100%
1991	33	32	97%
1992	21	18	86%
1993	23	16	70%
1994	28	18	64%
1995	15	5	33%
1996	25	7	28%
1997	22	6	27%
1998	17	6	35%
1999	15	7	47%
2000	14	#	#
2001	6	0	0%
2002	17	#	#
2003	18	0	0%
-----	-----	-----	-----
Total	337	198	59%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003
Gloucester County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	79	57	0	0	79	56
5-12	0	0	Black, Not Hispanic	#	#	#	#	46	33
13-19	#	#	Hispanic	11	8	0	0	11	8
20-29	36	26	Other/Unknown	#	#	#	#	5	4
30-39	64	45	-----	-----	---	-----	---	-----	---
40-49	28	20	Total	139	100	#	#	141	100
Over 49	9	6							
Unknown	#	#							
-----	-----	---							
Total	141	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	50	52	0	0	50	36
Injection drug user (IDU)	16	17	7	16	23	17
MSM/IDU	5	5	0	0	5	4
Heterosexual contact	#	#	#	#	24	17
Risk not reported/other***	#	#	#	#	37	27
-----	-----	---	-----	---	-----	---
Total	96	100	43	100	139	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2003
Gloucester County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	215	45
AIDS-CD4 Only	122	26	0	0	122	26
HIV Only	#	#	#	#	141	29
-----	-----	---	-----	---	-----	---
Total	473	100	5	100	478	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*	Pediatric*	Total
				Cases %	Cases %	Cases %
-----	-----	---	-----	-----	-----	-----
Under 5	#	#	White, Not Hispanic	#	#	294 62
5-12	#	#	Black, Not Hispanic	#	#	138 29
13-19	#	#	Hispanic	#	#	38 8
20-29	97	20	Other/Unknown	8 2	0 0	8 2
30-39	209	44	-----	-----	-----	-----
40-49	110	23	Total	473 100	5 100	478 100
Over 49	53	11				
Unknown	#	#				
-----	-----	---				
Total	478	100				

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	204	54	0	0	204	43
Injection drug user (IDU)	61	16	20	22	81	17
MSM/IDU	26	7	0	0	26	5
Heterosexual contact	18	5	46	49	64	14
Risk not reported/other***	71	19	27	29	98	21
-----	-----	---	-----	---	-----	---
Total	380	100	93	100	473	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2003
Gloucester County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	6	6	100%
1986	14	12	86%
1987	17	17	100%
1988	18	14	78%
1989	29	26	90%
1990	30	25	83%
1991	46	35	76%
1992	32	11	34%
1993	36	17	47%
1994	41	14	34%
1995	29	8	28%
1996	35	5	14%
1997	24	7	29%
1998	25	#	#
1999	17	#	#
2000	18	#	#
2001	15	0	0%
2002	24	#	#
2003	19	0	0%
Unknown	#	#	#
-----	-----	-----	-----
Total	478	208	44%